

Package: DWaveNARDL (via r-universe)

May 26, 2026

Type Package

Title Dual Wavelet Based NARDL Model

Version 0.1.0

Author Md Yeasin [aut, cre], Ranjit Kumar Paul [aut], Ranjit Kumar Upadhyay [aut], Anita Sarkar [aut], Amrit Kumar Paul [aut]

Maintainer Md Yeasin <yeasin.iasri@gmail.com>

Description Dual Wavelet based Nonlinear Autoregressive Distributed Lag model has been developed for noisy time series analysis. This package is designed to capture both short-run and long-run relationships in time series data, while incorporating wavelet transformations. The methodology combines the NARDL model with wavelet decomposition to better capture the nonlinear dynamics of the series and exogenous variables. The package is useful for analyzing economic and financial time series data that exhibit both long-term trends and short-term fluctuations. This package has been developed using algorithm of Jammazi et al. <[doi:10.1016/j.intfin.2014.11.011](https://doi.org/10.1016/j.intfin.2014.11.011)>.

License GPL-3

Encoding UTF-8

Imports nardl, wavelets, stats, roxygen2

RoxygenNote 7.2.1

NeedsCompilation no

Config/pak/sysreqs cmake make libicu-dev libuv1-dev libxml2-dev libssl-dev

Repository <https://yeasinstat.r-universe.dev>

Date/Publication 2025-04-30 08:20:02 UTC

RemoteUrl <https://github.com/cran/DWaveNARDL>

RemoteRef HEAD

RemoteSha 67e16b453355f02b2b882138762bab4e0e967687

Contents

DWNARDL	2
NARDL	3

Index	4
--------------	----------

DWNARDL	<i>Wavelet-based NARDL Model</i>
---------	----------------------------------

Description

This function implements the Wavelet-based Nonlinear Autoregressive Distributed Lag (WNARDL) model using wavelet transform.

Usage

```
DWNARDL(ts, Filter = "haar", Wvlevels = NULL, Exo, MaxLag = 3, Trend = TRUE)
```

Arguments

ts	A time series object (numeric vector) for the dependent variable.
Filter	Wavelet filter to use (default is "haar").
Wvlevels	Number of wavelet decomposition levels. Default is calculated based on the length of 'ts'.
Exo	A time series object (numeric vector) for the exogenous variable.
MaxLag	Maximum number of lags to consider. Default is 3.
Trend	Boolean to include trend in the model. Default is TRUE.

Value

A list containing:

Coefficients	Model coefficients (short and long run).
AsymTest	Wald test statistics and p-values.
IC	Information criteria (AIC, BIC, Log-likelihood).

References

Jammazi, R., Lahiani, A., & Nguyen, D. K. (2015). A wavelet-based nonlinear ARDL model for assessing the exchange rate pass-through to crude oil prices. *Journal of International Financial Markets, Institutions and Money*, 34*, 173-187. <https://doi.org/10.1016/j.intfin.2014.11.011>

Examples

```
ts <- rnorm(100)
Exo <- rnorm(100)
Results <- DWNARDL(ts, Filter = "haar", Exo = Exo, MaxLag = 3)
```

NARDL

Dual Wavelet-based NARDL Model

Description

This function implements the Dual Wavelet-based Nonlinear Autoregressive Distributed Lag (NARDL) model.

Usage

```
NARDL(Data, Exo, MaxLag, Trend = TRUE)
```

Arguments

Data	A time series object (numeric vector) representing the dependent variable.
Exo	A time series object (numeric vector) representing the exogenous variable.
MaxLag	Maximum number of lags to consider.
Trend	Boolean to include trend in the model. Default is TRUE.

Value

A list containing:

Coefficients	Model coefficients (short and long run).
AsymTest	Wald test statistics and p-values.
IC	Information criteria (AIC, BIC, Log-likelihood).

References

Jammazi, R., Lahiani, A., & Nguyen, D. K. (2015). A wavelet-based nonlinear ARDL model for assessing the exchange rate pass-through to crude oil prices. *Journal of International Financial Markets, Institutions and Money*, 34*, 173-187. <https://doi.org/10.1016/j.intfin.2014.11.011>

Examples

```
Data <- rnorm(100)
Exo <- rnorm(100)
Results <- NARDL(Data, Exo, MaxLag = 3)
```

Index

DWNARDL, [2](#)

NARDL, [3](#)