

# Package: InterNL (via r-universe)

September 16, 2024

**Type** Package

**Title** Time Series Intervention Model Using Non-Linear Function

**Version** 0.1.0

**Author** Dr. Amrit Kumar Paul [aut], Dr. Md Yeasin [aut, cre], Dr. Ranjit Kumar Paul [aut], Mr. Subhankar Biswas [aut], Dr. HS Roy [aut], Dr. Prakash Kumar [aut]

**Maintainer** Dr. Md Yeasin <yeasin.iasri@gmail.com>

**Description** Intervention analysis is used to investigate structural changes in data resulting from external events. Traditional time series intervention models, viz. Autoregressive Integrated Moving Average model with exogeneous variables (ARIMA-X) and Artificial Neural Networks with exogeneous variables (ANN-X), rely on linear intervention functions such as step or ramp functions, or their combinations. In this package, the Gompertz, Logistic, Monomolecular, Richard and Hoerl function have been used as non-linear intervention function. The equation of the above models are represented as: Gompertz:  $A * \exp(-B * \exp(-k * t))$ ; Logistic:  $K / (1 + ((K - N0) / N0) * \exp(-r * t))$ ; Monomolecular:  $A * \exp(-k * t)$ ; Richard:  $A + (K - A) / (1 + \exp(-B * (C - t)))^{(1/\beta)}$  and Hoerl:  $a * (b^t) * (t^c)$ . This package introduced algorithm for time series intervention analysis employing ARIMA and ANN models with a non-linear intervention function. This package has been developed using algorithm of Yeasin et al. <doi:10.1016/j.hazadv.2023.100325> and Paul and Yeasin <doi:10.1371/journal.pone.0272999>.

**License** GPL-3

**Encoding** UTF-8

**Imports** stats, forecast, MLmetrics

**RoxygenNote** 7.2.1

**NeedsCompilation** no

**Date/Publication** 2024-04-18 19:13:03 UTC

**Repository** <https://yeasinstat.r-universe.dev>

**RemoteUrl** <https://github.com/cran/InterNL>

**RemoteRef** HEAD

**RemoteSha** 902b4fd2850b9ae8a8d6406529e12b21243d1a5b

## Contents

InterNL . . . . .	2
<b>Index</b>	<b>4</b>

---

InterNL	<i>Time Series Intervention Model Using Non-linear Function</i>
---------	---

---

### Description

Time Series Intervention Model Using Non-linear Function

### Usage

```
InterNL(Data, Time, TSMoel, TSOrder = NULL, NLModel, InitialNLM)
```

### Arguments

Data	Time series data
Time	Point of intervention
TSMoel	Time series model ("arima" or "ann")
TSOrder	If model is ANN, then order is lag of the model
NLModel	Non-linear models ("gompertz", "logistic", "monomolecular", "richard", "hoerl")
InitialNLM	Initial value for parameters of non-linear model

### Value

- Accuracy: Accuracy metric of the proposed model
- PreFitted: Fitted values for the pre intervention series
- PostFitted: Prediction for the post intervention series
- NLM: Details of fitted non-linear model

### References

- Paul, R.K. and Yeasin, M., 2022. COVID-19 and prices of pulses in Major markets of India: Impact of nationwide lockdown. Plos one, 17(8), p.e0272999.
- Yeasin, M., Paul, R.K., Das, S., Deka, D. and Karak, T., 2023. Change in the air due to the coronavirus outbreak in four major cities of India: What do the statistics say?. Journal of Hazardous Materials Advances, 10, p.100325.

**Examples**

```
library("InterNL")
data<- as.ts(rnorm(120,100,50))
Result <- InterNL(Data = data,Time = 90, TSMODEL = "ARIMA",
  TSOrder=NULL, NLModel=NULL, InitialNLM=NULL )
```

# Index

InterNL, [2](#)